

Part VI. Literature Cited

Note: This is an excerpt from “*Guidance for Pre- and Post-Construction Monitoring to Detect Changes in Marine Bird Distributions and Habitat Use Related to Offshore Wind Development*”. The full guidance document is available at

www.nyetwg.com/avian-displacement-guidance



Developed by the [Avian Displacement Guidance Committee](#) of the [Environmental Technical Working Group](#), with support from the Biodiversity Research Institute

Citation: Avian Displacement Guidance Committee. 2024. Guidance for Pre- and Post-Construction Monitoring to Detect Changes in Marine Bird Distributions and Habitat Use Related to Offshore Wind Development. Report to the Offshore Wind Environmental Technical Working Group. 100 pp. Available at www.nyetwg.com/avian-displacement-guidance.

Photo credit: Nicholas Doherty

Part VI. Literature Cited

- [BOEM] Bureau of Ocean Energy Management. 2020. Guidelines for Providing Avian Survey Information for Renewable Energy Development on the Outer Continental Shelf Pursuant to 30 CFR Part 585. U.S. Department of the Interior, Bureau of Ocean Energy Management. 17 pp. [Link](#).
- [NYSERDA] New York State Energy and Research Development Authority. 2020. Stakeholder Workshop: Scientific Research Framework to Understand the Effects of Offshore Wind Energy Development on Birds and Bats in the Eastern United States, Building Energy Exchange, March 4–6, 2020. NYSERDA Report Number 20–26. Prepared by J. Gulka and K. Williams, Biodiversity Research Institute, Portland ME. [Link](#).
- [NYSERDA] New York State Energy and Research Development Authority. 2021. Wildlife Data Standardization and Sharing: Environmental Data Transparency for New York State Offshore Wind Energy. NYSERDA Report 21–11. Prepared by E. Jenkins and K. Williams, Biodiversity Research Institute, Portland ME. [Link](#).
- [ROSA] Responsible Offshore Science Alliance. 2021. Offshore Wind Project Monitoring Framework and Guidelines. 55 pp. [Link](#).
- Acácio, M., Atkinson, P.W., Silva, J.P., and Franco, A.M.A. 2022. Performance of GPS/GPSR tracking devices improves with increased fix interval and is not affected by animal deployment. *PLoS One* 17(3): e0265541.
- Allison, T.D., Diffendorfer, J.E., Baerwald, E.F., Beston, J.A., Drake, D., Hale, A.M., Hein, C.D., Huso, M.M., Loss, S.R., Lovich, J.E., Strickland, M.D., Williams, K.A., and Winder, V.L. 2019. Impacts to wildlife of wind energy siting and operation in the United States. *Issues in Ecology* 21: 24.
- Aumuller, R., Boos, K., Freienstein, S., Hill, K., and Hill, R. 2013. Weichen Zugvögel Windenergieanlagen auf See aus? Eine Methode zur Untersuchung und Analyse von Reaktionen tagsüber ziehender Vogelarten auf Offshore-Windparks. *Vogelwarte* 51: 3–13. [Link](#).
- Avian Displacement Guidance Committee of the Environmental Technical Working Group. 2023. Recommendations for Evaluating the Use of Existing Baseline Observational Survey Data in Offshore Wind Site Characterization Processes for the U.S. Atlantic. 15 pp. [Link](#).
- Baldwin, J.W., Leap, K., Finn, J.T., and Smetzer, J.R. 2018. Bayesian state-space models reveal unobserved off-shore nocturnal migration from Motus data. *Ecological Modelling* 386: 38–46.
- Blew, J., Hoffman, M., Nehls, G., and Hennig, V. 2008. Investigations of the Bird Collision Risk and the Responses of Harbour Porpoises in the Offshore Wind Farms of Horns Rev, North Sea, and Nysted, Baltic Sea, in Denmark Part 1: Birds. Report to the German Federal Ministry for the Environment. 133 pp. [Link](#).
- Borchers, D.L., Zucchini, W., Heide-Jørgensen, M.P., Cañadas, A., and Langrock, R. 2013. Using Hidden Markov Models to deal with availability bias on line transect surveys. *Biometrics*, 69(3): 703–713.
- Boyd, J.D., and Brightsmith, D.J. 2013. Error properties of Argos satellite telemetry locations using least squares and Kalman filtering. *PLoS One* 8(5): e63051.
- Busch, M., Kannen, A., Garthe, S., and Jessopp, M. 2013. Consequences of a cumulative perspective on marine environmental impacts: Offshore wind farming and seabirds at North Sea scale in context of the EU Marine Strategy Framework Directive. *Ocean Coast Management* 71:213–224.
- Campbell, J.L., Rustad, L.E., Porter, J.H., Taylor, J.R., Dereszynski, E.W., Shanley, J.B., Gries, C., Henshaw, D.L., Martin, M.E., Sheldon, W.M, and Boose, E.R. 2013. Quantity is nothing without quality: Automated QA/QC for streaming environmental sensor data. *BioScience* 63(7): 574–585.
- Camphuysen, C.J. 2011. Lesser Black-Backed Gulls Nesting at Texel: Foraging Distribution, Diet, Survival, Recruitment, and Breeding Biology of Birds Carrying Advanced GPS Loggers. NIOZ Report 2011–05, Texel. 80 pp. [Link](#).
- Canning, S., Lye, G., and Kerr, D. 2013. Analysis of Marine Ecology Monitoring Plan Data from the Robin Rigg Offshore Wind Farm, Scotland (Operational Year 3) – Birds. Natural Power Consultants, Dalry. 258 pp.

- Caro, T., Eadie, J., and Sih, A. 2005. Use of substitute species in conservation biology. *Conservation Biology* 19: 1821–1826.
- Christensen, T.K., and Hounisen, J.P., 2005. Investigations of Migratory Birds during Operation of Horns Rev Offshore Wind Farm. National Environmental Research Institute, Kalø. 35 pp. [Link](#).
- Clewley, G.D., Thaxter, C.B., Humphreys, E.M., Scragg, E.S., Bowgen, K.M., Bouten, W., Masden, E.A., and Burton, N.H.K. 2021. Assessing Movements of Lesser Black-backed Gulls Using GPS Tracking Devices in Relation to the Walney Extension and Burbo Bank Extension Offshore Wind Farms. BTO Research Report 738, Thetford, UK. 74 pp. [Link](#).
- Cohen, J. 2013. Statistical Power Analysis for the Behavioral Sciences, Revised Edition. Lawrence Erlbaum Associates. 459 pp.
- Cook, A.S.C.P., Humphreys, E.M., Bennet, F., Masden, E.A., and Burton, N.H.K. 2018. Quantifying avian avoidance of offshore wind turbines: Current evidence and key knowledge gaps. *Marine Environmental Research* 140: 278–288.
- Degraer, S., Carey, D.A., Coolen, J.W.P., Hutchison, Z.L., Kerckhof, F., Rumes, B. and Vanaverbeke, J. 2020. Offshore wind farm artificial reefs affect ecosystem structure and functioning: A synthesis. *Oceanography* 33:48–57.
- Degraer, S., Brabant, R., Rumes, B., and Vigin, L. (eds). 2021. Environmental Impacts of Offshore Wind Farms in the Belgian Part of the North Sea: Attraction, Avoidance and Habitat Use at Various Spatial Scales: Memoirs on the Marine Environment. Royal Belgian Institute of Natural Sciences, OD Natural Environment, Marine Ecology and Management, Brussels, Belgium. 104 pp. [Link](#).
- Desholm, M., and Kahlert, J. 2005. Avian collision risk at an offshore wind farm. *Biology Letters* 1: 296–298. [Link](#).
- Dierschke, V., Furness, R.W. and Garthe, S. 2016. Seabirds and offshore wind farms in European waters: Avoidance and attraction. *Biological Conservation* 202: 59–68.
- Diniz, M.A. 2022. Statistical methods for validation of predictive models. *Journal of Nuclear Cardiology* 29(6):3248–3255.
- Donovan, C.R., and Caneco, B.A.R. 2020. Seabird Survey Designs for the East Coast of Scotland. Scottish Marine and Freshwater Science Reports – Vol 11, No 19. Marine Scotland Science, Aberdeen, UK. 78 pp. [Link](#).
- Dormann, C.F., McPherson, J.M., Araujo, M.B., Bivand, R., Bolliger, J., Carl, G., Davies, R.G., Hirzel, A., Jetz, W., Kissling, W.D., Kuhn, I., Ohlemüller, R., Peres-Neto, P.R., Reineking, B., Schroder, B., Schurr, F.M., and Wilson, R. 2007. Methods to account for spatial autocorrelation in the analysis of species distributional data: a review. *Ecography* 30(5): 609–628.
- Fairweather, P.G. 1991. Statistical power and design requirements for environmental monitoring. *Australian Journal of Marine and Freshwater Research* 42(5): 555–567.
- Fijn, R.C., and Gyimesi, A. 2018. Behaviour related flight speeds of Sandwich Terns and their implications for wind farm collision rate modelling and impact assessment. *Environmental Impact Assessment Review* 71: 12–16.
- Fliessbach, K.L., Borkenhagen, K., Guse, N., Markones, N., Schwemmer, P., and Garthe, S. 2019. A ship traffic disturbance vulnerability index for Northwest European seabirds as a tool for marine spatial planning. *Frontiers in Marine Science* 6: 192.
- Fox, A.D., and Petersen, I.K. (2019) Offshore wind farms and their effects on birds. *Dansk Ornitolologisk Forenings Tidsskrift* 113: 86–101.
- Friedland KD, McManus MC, Morse RE, Link JS, Ojaveer H (2019) Event scale and persistent drivers of fish and macroinvertebrate distributions on the Northeast US Shelf. *ICES Journal of Marine Science* 76:1316–1334.
- Friedland KD, Morse RE, Manning JP, Melrose DC, Miles T, Goode AG, Brady DC, Kohut JT, Powell EN (2020a) Trends and change points in surface and bottom thermal environments of the US Northeast Continental Shelf Ecosystem. *Fish Oceanography* 29:396–414.

- Friedland KD, Morse RE, Shackell N, Tam JC, Morano JL, Moisan JR, Brady DC (2020b) Changing physical conditions and lower and upper trophic level responses on the US Northeast Shelf. *Frontiers in Marine Science* 7:1–18.
- Furness, R.W., Wade, H.M., and Masden, E.A. 2013. Assessing vulnerability of marine bird populations to offshore wind farms. *Journal of Environmental Management* 119: 56–66.
- Garthe, S., Markones, N., and Corman, A.M. 2017. Possible impacts of offshore wind farms on seabirds: a pilot study in Northern Gannets in the southern North Sea. *Journal of Ornithology* 158: 345–349. [Link](#).
- Garrido-Carretero, M.S., Azorit, C., de Lacy-Perez de los Cobos, M.C., Valderrama-Zafra, J.M., Carrasco, R., and Gil-Cruz, A.J. 2023. Improving precision and accuracy of wildlife monitoring with multi-constellation, multi-frequency GNSS collars. *Journal of Wildlife Management* 87(4): e22378.
- Gilbert, A.T., Merrill, M., Stenhouse, I.J., Connelly, E.E., and Bates, M. 2016. Mobile avian survey data collection software application (SeaScribe). Prepared by Biodiversity Research Institute, Inc., and Tilson Government Services for the U.S. Department of the Interior, Bureau of Ocean Energy Management. Sterling, VA. OCS Study BOEM 2016-036. 28 pp. + appendices. [Link](#).
- Gill, J.P., Sales, D., Pinder, S., Salazar, R., Ford, J., and Harding, I. 2008. Kentish Flats Wind Farm Fifth Ornithological Monitoring Report. Report to Kentish Flats Ltd. Environmentally Sustainable Systems, Edinburgh. 122 pp. [Link](#).
- Gjerdrum, C., Fifield, D., and Wilhelm, S.I. (2012) Eastern Canada Seabirds at Sea (ECSAS) Standardized Protocol for Pelagic Seabird Surveys from Moving and Stationary Platforms. Canadian Wildlife Service Technical Report Series No. 515. Atlantic Region. [Link](#).
- Goddard, B., McGover, S., Warford, S., and Rehfisch, M. 2017. Kittiwake and Auk Displacement Study - Westermost Rough, Appendix 9.5. APEM report for Neart na Gaoithe Offshore Wind Limited. [Link](#).
- Goetch, C., Gulka, J., Friedland, K.D., Winship, A.J., Clerc, J., Gilbert, A., Goyert, H.F., Stenhouse, I.J., Williams, K.A., Willmott, J.R., Rekdahl, M.L., Rosenbaum, H.C., and Adams, E.M. 2023. Surface and subsurface oceanographic features drive forage fish distributions and aggregations: Implications for prey availability to top predators in the US Northeast Shelf ecosystem. *Ecology and Evolution* 13(7): e10226.
- Goodale, M.W., and Milman, A. 2016. Cumulative adverse effects of offshore wind energy development on wildlife. *Journal of Environmental Planning and Management* 59: 1–21.
- Goodale, M.W., and Stenhouse, I.J. 2016. A conceptual model for determining the vulnerability of wildlife populations to offshore wind energy development. *Human-Wildlife Interactions* 10: 53–61.
- Green, R.M., Thaxter, C.B., Johnston, D.T., Boersch-Supan, P.H., Bouten, W., and Burton, N.H.K. 2023. Assessing Movements of Lesser Black-backed Gulls using GPS Tracking Devices in Relation to the Galloper Wind Farm: Final Report. 194 pp. [Link](#).
- Guillemette, M., Larsen, J.K., and Clausager, I. 1998. Impact Assessment of an Offshore Wind Park on Sea Ducks. NERI Technical Report No 227. National Environmental Research Institute. 63 pp. [Link](#).
- Gulka, J., Berlin, A.M., Friedland, K.D., Gilbert, A.T., Goetsch, C., Montevecchi, W.A., Perry, M., Stenhouse, I.J., Williams, K.A., and Adams, E.M. 2023. Assessing individual movement, habitat use, and behavior of non-breeding marine birds in relation to prey availability in the US Atlantic. *Marine Ecology Progress Series* 711: 77–99.
- Harker, A.J., Pavat, D., and Humphries, G. 2022. Digital video aerial surveys of marine birds and mammals at Solway Firth SPA: February 2021. Natural England Research Report NECR439. 115 pp. [Link](#).
- Harwood, A.J.P., Perrow, M.R., and Berridge, R.J. 2018. Use of an optical rangefinder to assess the reliability of seabird flight heights from boat-based surveyors: implications for collision risk at offshore wind farms. *Journal of Field Ornithology* 89(4): 372–383.

- Hayes, G.C., Rattray, A., and Esteban, N. 2020. Addressing tagging location bias to assess space use by marine animals. *Journal of Applied Ecology* 57: 1981–1987.
- Heinanen, S., Zydelis, R., Kleinschmidt, B., Dorsch, M., Burger, C., Morkunas, J., Quillfeldt, P., and Nehls, G. 2020. Satellite telemetry and digital aerial surveys show strong displacement of Red-throated Divers (*Gavia stellata*) from offshore wind farms. *Marine Environmental Research* 160: 104989.
- HiDef Aerial Surveying Limited. 2021. Erbus: Offshore Ornithology 11.1 Technical Appendix – Baseline Data. Report HP00113-703-01. 53 pp. [Link](#).
- Irvine, L.M., Windsor, M.H., Follett, T.M., Mate, B.R., and Palacios, D.M. 2020. An at sea assessment of Argos location accuracy for three species of large whales, and the effect of deep diving behavior on location error. *Animal Biotelemetry* 8: 20.
- Johnson, A., Thaxter, C.B., Austin, G.E., Cook, A.S.C.P., Humphreys, E.M., Still, D.A., Mackay, A., Irvine, R., Webb, A., and Burton, N.H.K. 2014. Modelling the abundance and distribution of marine birds accounting for uncertain species identification. *Journal of Applied Ecology* 52(1): 150–160.
- Johnston, D.T., Thaxter, C.B., Boersch-Supan, P.H., Humphreys, E.M., Bouter, W., Clewley, G.D., Scragg, E.S., Masden, E.A., Barber, L., Conway, G.J., Clark, N.A., Burton, N.H.K., and Cook, A.S.P.C. 2022. Investigating avoidance and attraction responses in Lesser Black-backed Gulls (*Larus fuscus*) to offshore wind farms. *Marine Ecology Progress Series* 686: 187–200.
- Keitt, T.H., Bjornstad, O.N., Dixon, P.M., and Citron-Pousty, S. 2002. Accounting for spatial patterns when modeling organism-environment interactions. *Ecography* 25(5): 616–625.
- Kelsey, E.C., Felis, J.J., Czapanskiy, M., Pereksta, D.M., and Adams, J. 2018. Collision and displacement vulnerability to offshore wind energy infrastructure among marine birds of the Pacific Outer Continental Shelf. *Journal of Environmental Management* 227: 229–247.
- Krijgveld, K.L., Fijn, R.C., Japink, M., van Horssen, P.W., Heunks, C., Collier, M.P., Poot, M.J.M., Beuker, D., and Dirksen, S. 2011. Effect Studies Offshore Wind Farm Egmond aan Zee. Final report on fluxes, flight altitudes and behaviour of flying birds. Noordzeewind Rapport OWEZ R 231 T1 20111110. Bureau Waardenburg, Culemborg. 328 pp. [Link](#).
- Laake, J.L., Calambokidis, J., Osmek, S.D., and Rugh, D.J. 1997. Probability of Detecting Harbor Porpoise from Aerial Surveys: Estimating $g(0)$. *Journal of Wildlife Management*, 61(1): 63–75.
- Lamb, J., Gulka, J., Adams, E., Cook, A., and Williams, K.A. 2024. A synthetic analysis of post-construction displacement and attraction of marine birds at offshore wind energy installations. *Environmental Impact Assessment Review* 108: 107611.
- Lane, J.V., Jeavons, R., Deakin, Z., Sherley, R.B., Pollock, C.J., Wanless, R., and Hamer, K.C. 2020. Vulnerability of Northern Gannets to offshore wind farms; seasonal and sex-specific collision risk and demographic consequences. *Marine Environmental Research* 162: 105196.
- LaPeña, B.P. K.M. Wijnberg, S.J.M.H. Hulscher, and A. Stein. 2010. Environmental impact assessment of offshore wind farms: a simulation-based approach. *Journal of Applied Ecology* 47(5): 1110–1118.
- LaPeña, B.P., Wijnberg, K.M., Stein, A., and Huscher, S.J.M.H. 2011. Spatial factors affecting statistical power in testing marine fauna displacement. *Ecological Applications* 21(7): 2756–2769.
- Largey, N., Cook, A.S.C.P., Thaxter, C.B., McCluskie, A., Stokke, B.G., Wilson, B., and Masden, E.A. 2021. Methods to quantify avian airspace use in relation to wind energy development. *Ibis* 163(3): 747–764.
- Larsen, J.K. and Guillemette, M. 2007. Effects of wind turbines on flight behaviour of wintering Common Eiders: implications for habitat use and collision risk. *Journal of Applied Ecology* 44: 516–522.
- Leemans, J.J., van Bemmelen, R.S.A., Middelveld, R.P., Kraal, J., Bravo Rebolledo, E.L., Beuker, D., Kuiper, K., and Gyimesi, A. 2022. Bird Fluxes, Flight- and Avoidance Behaviour of Birds in Offshore Wind Farm Luchterduinen. Bureau Waardenburg Report 22-078. Bureau Waardenburg, Culemborg. [Link](#).

- Leirness, J.B., and Kinlan, B.P. 2018. Additional Statistical Analyses to Support Guidelines for Marine Avian Sampling. OCS Study BOEM 2018-063. U.S. Department of the Interior, Bureau of Ocean Energy Management, Sterling, VA. 43 pp. [Link](#).
- Leopold, M.F., Dijkman, E.M., Teal L., and OWEZ-Team. 2011. Local Birds in and around the Offshore Wind Farm Egmond aan Zee (OWEZ). Report nr. C187/11. Report by the Institute for Marine Resources & Ecosystem Studies to NoordzeeWind. 176 pp. [Link](#).
- Leopold, M.F., van Bemmelen, R.S.A., and Zuur, A.F. 2013. Responses of Local Birds to Offshore Wind Farms PAWP and OWEZ off the Dutch Mainland Coast. Report number C151/12. Report by Institute of Marine Resources & Ecosystem Studies to Prinses Amalia windpark, Newburgh, UK. 108 pp. [Link](#).
- Lewis, M. and Dunn, T.E. 2020. Volunteer Seabirds At Sea Survey Methods. JNCC Report No. 663. Joint Nature Conservation Committee, Peterborough, UK. 46 pp. [Link](#).
- Liu, D., Chen, L., Wang, Y., and Lu, J. 2018. How much can we trust GPS wildlife tracking? An assessment of semi-free-ranging Crested Ibis (*Nipponia nippon*). PeerJ 6:e5320.
- Loring, P., Carlson, E., Gobeille, D., Deluca, R., Mackenzie, S., Berrigan, L., Williams, K.A., Gilbert, A. and Adams, E. 2023a. Guidance Document for Deploying Motus Stations on Offshore Wind Turbines and Buoys, version March 15, 2023. Report to the New York State Energy Research and Development Authority (NYSERDA), Albany, New York. 34 pp. [Link](#).
- Loring, P., Carlson, E., Gobeille, D., Mackenzie, S., Berrigan, L., Williams, K.A., Gilbert, A., and Adams, E. 2023b. Monitoring Framework for Automated Radio Telemetry at Offshore Wind Projects in the U.S. Atlantic, version March 15, 2023. Report to the New York State Energy Research and Development Authority (NYSERDA), Albany, New York. 45 pp. [Link](#).
- Mackenzie, M.L., Scott-Hayward, L.A.S., Oedekoven, C.S., Skov, H., Humphreys, E. , and Rexstad, E. 2013. Statistical Modelling of Seabird and Cetacean data: Guidance Document. University of St. Andrews contract for Marine Scotland; SB9 (CR/2012/05). [Link](#).
- Maclean, I.M.D., Rehfisch, M.M., Skov, H., and Thaxter, C.B. 2013. Evaluating the statistical power of detecting changes in the abundance of seabirds at sea. *Ibis* 155: 113–126.
- Masden, E.A., Haydon, D.T., Fox, A.D., and Furness, R.W. (2010) Barriers to movement: Modelling energetic costs of avoiding marine wind farms amongst breeding seabirds. *Marine Pollution Bulletin* 60:1085–1091.
- Masden E.A., and Cook A.S.C.P. (2016) Avian collision risk models for wind energy impact assessments. *Environ Impact Assessment Review* 56:43–49.
- Masden E.A., Haydon, D.T., Fox, A.D., Furness, R.W., Bullman, R., and Desholm, M. (2009) Barriers to movement: impacts of wind farms on migrating birds. *ICES Journal of Marine Science* 66:746–753.
- Maslen, B., Popovic, G., Lim, M., Marzinelli, E., and Warton, D. 2023. How many sites? Methods to assist design decisions when collecting multivariate data in ecology. *Methods in Ecology and Evolution* 14(6): 1564–1573.
- Matthiopoulos, J., Trinder, M., and Furness, B. 2022. Study to Develop Best Practices for Combining Seabird Data Collected from Different Platforms. Marine Scotland Science, Edinburgh. 69 pp. [Link](#).
- May, R.F. 2015. A unifying framework for the underlying mechanisms of avian avoidance of wind turbines. *Biological Conservation* 190: 179–187.
- McGarigal, K., Wan, H.Y., Zeller, K.A., Trimm, B.C., and Cushman, S.A. 2016. Multi-scale habitat selection modeling: a review and outlook. *Landscape Ecology* 31: 1161–1175.
- Mendel, B., 2012. Anthropogene Nutzungen und deren Auswirkungen auf Seevögel in der Deutschen Bucht: Entwicklung methodischer Ansätze und Bewertung der Effekte. Diss. Univ, Kiel. [Link](#).

- Mendel, B., Schwemmer, P., Peschko, V., Müller, S., Schwemmer, H., Mercker, M., and Garthe, S. 2019. Operational offshore wind farms and associated ship traffic cause profound changes in distribution patterns of Loons (*Gavia* spp.). *Journal of Environmental Management* 231: 429–438.
- Methratta, E. T. 2021. Distance-based sampling methods for assessing the ecological effects of offshore wind farms: Synthesis and application to fisheries resource studies. *Frontiers in Marine Science* 8: 1062.
- Morse RE, Friedland KD, Tommasi D, Stock C, Nye J (2017) Distinct zooplankton regime shift patterns across ecoregions of the US Northeast Continental Shelf Large Marine Ecosystem. *Journal of Marine Systems* 165:77-91.
- Munson, M.A., Caruana. R., Fink. D., Hochachka, W.M., Iliff, M., Rosenberg, K.V., Sheldon, D., Sullivan, B.L., Wood, C. and Kelling, S. 2010. A method for measuring the relative information content of data from different monitoring protocols. *Methods in Ecology and Evolution* 1(3): 263-273.
- Murphy, D.D., Weiland, P.S., and Cummins, K.W. 2011. A critical assessment of the use of surrogate species in conservation planning in the Sacramento-San Joaquin Delta, California (U.S.A.). *Conservation Biology* 25: 873–878.
- Nicholls, A.J., Barker, M., Armitage, M., and Votier, S. 2022. Offshore Renewables Joint Industry Programme (ORJIP) for Offshore Wind: Review of Seabird Monitoring Technologies for Offshore Wind Farms. Report by RPS. 127 pp. [Link](#).
- Nilsson, L., and Green, M. 2011. Birds in Southern Öresund in Relation to the Wind Farm at Lillgrund. Final report of the monitoring program2001-2011. Lunds Universitet, Lund. 85 pp. [Link](#).
- Osenberg, C.W., Sarnelle, O., and Cooper, S.D. 1997. Effect size in ecological experiments: the application of biological models in meta-analysis. *American Naturalist* 150(6): 798–812.
- Percival, S. 2013. Thanet Offshore Wind Farm Ornithological Monitoring 2012–2013. Vattenfall & Royal Haskoning. 60 pp. [Link](#).
- Perrow, M.R., Gilroy, J.J., Skeate, E.R., and Tomlinson, M.L. 2011. Effects of the construction of Scroby Sands offshore wind farm on the prey base of Little Tern (*Sternula albifrons*) at its most important UK colony. *Marine Pollution Bulletin* 62: 1661–70.
- Percival, S. 2014. Kentish Flats Offshore Wind Farm: Diver Surveys 2011–12 and 2012–13. Ecology Consulting, Durham. 25 pp. [Link](#).
- Perrow, M.R., Skeate, E.R., and Tomlinson, M.L. 2006. Scroby Sands Ornithological Monitoring: Assessing the Potential Impact of the Proposed Wind Farm Upon Little Tern (*Sterna albifrons*): The Post Construction Phase Beginning in 2005. Ecological Consultancy, Norwich. 120 pp.
- Perrow, M.R., Harwood, A.J.P., Berridge, R., and Skeate, E.R. 2015. Avoidance of an Offshore Wind Farm by a Breeding Seabird has Implications for the Offshore Renewables Industry. In: Köppel, J., Schuster, E. (Eds.), Book of Abstracts: Conference on Wind Energy and Wildlife Impacts: 52. Berlin Institute of Technology, Berlin. [Link](#).
- Peschko, V., Mercker, M., and Garthe, S. 2020a. Telemetry reveals strong effects of offshore wind farms on behavior and habitat use of Common Guillemots (*Uria aalge*) during the breeding season. *Marine Biology* 167: 118. [Link](#).
- Peschko, V., Mendel, B., Muller, S., Markones, N., Mercker, M., and Garthe, S. 2020b. Effects of offshore windfarms on seabird abundance: Strong effects in spring and in the breeding season. *Marine Environmental Research* 162: 105157.
- Peschko, V., Mendel, B., Mercker, M., Dierschke, J., and Garthe, S. 2021. Northern Gannets (*Morus bassanus*) are strongly affected by operating offshore wind farms during the breeding season. *Journal of Environmental Management* 279: 111509.
- Petersen, I.K., and Fox, A.D. 2007. Changes in Bird Habitat Utilisation around the Horns Rev 1 Offshore Wind Farm, with Particular Emphasis on Common Scoter. NERI Report, Århus. 36 pp. [Link](#).

- Petersen, I.K., Christensen, T.K., Kahlert, J., Desholm, M., and Fox, A.D. 2006. Final Results of Bird Studies at the Offshore Wind Farms at Nysted and Horns Rev, Denmark. National environmental Research Institute, Kalø. 161 pp. [Link](#).
- Petersen, I.K., Mackenzie, M., Rexstad, E., Wisz, M.S., and Fox, A.D. 2011. Comparing pre- and post-construction distributions of Long-tailed Ducks (*Clangula hyemalis*) in and around the Nysted offshore wind farm, Denmark: a quasi-designed experiment accounting for imperfect detection, local surface features and autocorrelation. CREEM Tech report 2011–1. 16 pp. [Link](#).
- Petersen, I.K., Nielsen, R.D., and Mackenzie, M.L. 2014. Post-Construction Evaluation of Bird Abundances and Distributions in the Horns Rev 2 offshore Wind Farm Area, 2011 and 2012. Aarhus University, Aarhus. 51 pp. [Link](#).
- Petersen, I.K., Mackenzie, M.L., and Scott-Hayward, L.A.S. 2018. Long-term Impacts on Long-tailed Duck Distributions Resulting from the Construction of the Rødsand II and Nysted Offshore Wind Farms, Denmark. Aarhus University, DCE – Danish Centre for Environment and Energy, 20 pp. Technical Report from DCE – Danish Centre for Environment and Energy No. 120. [Link](#).
- Petersen, I.K., Mackenzie, M.L., Rexstad, E., Kidney, D. and Nielsen, R.D., 2013. Assessing Cumulative Impacts on Long-tailed Duck for the Nysted and Rødsand II Offshore Wind Farms. Report commissioned by E.ON Wind Sverige AB. Aarhus University, DCE –Danish Centre for Environment and Energy. 28 pp.
- Pettersson, J., 2005. The Impact of Offshore Wind Farms on Bird Life in Southern Kalmar Sound, Sweden. Report to Swedish Energy Agency. Lunds Universitet, Lund. 124 pp. [Link](#).
- Plonczkier, P., and Simms, I.C. 2012. Radar monitoring of migrating Pink-footed Geese: behavioural responses to offshore wind farm development. Journal of Applied Ecology 49: 1187–1194. [Link](#).
- Project Management Support Services (PMSS), 2006. North Hoyle Offshore Wind Farm. Annual FEPA monitoring report (2004–5). NWP Offshore Ltd. 107 pp. [Link](#).
- Pollock, C.J., Vane, J.V., Buckingham, L., Garthe, S., Jeavons, R., Furness, R.W., and Hamer, K.C. 2021. Risks to different populations and age classes of gannets from impacts of offshore wind farms in the southern North Sea. Marine Environmental Research 171: 105457. [Link](#).
- Rebke, M., Dierschke, V., Weiner, C.N., Aumüller, R., Hill, K., and Hill, R. (2019) Attraction of nocturnally migrating birds to artificial light: The influence of colour, intensity, and blinking mode under different cloud cover conditions. Biological Conservation 233: 220–227.
- Regional Synthesis Workgroup. 2022. U.S. Atlantic Offshore Wind Environmental Research Recommendations Database. Developed on behalf of the Offshore Wind Environmental Technical Working Group with technical support from the Biodiversity Research Institute and the U.S. Offshore Wind Synthesis of Environmental Effects Research group. [Link](#).
- Regional Synthesis Workgroup. 2023. Responsible Practices for Regional Wildlife Monitoring and Research in Relation to Offshore Wind Energy Development. Developed on behalf of the Offshore Wind Environmental Technical Working Group with technical support from the Biodiversity Research Institute. 44 pp. [Link](#).
- Rehfisch, M., Barrett, Z., Brown, L., Buisson, R., Perez-Dominguez, R., and Clough, S. 2014. Assessing Northern Gannet avoidance of offshore windfarms. APEM Report 512775. Report by APEM to East Anglia Offshore Wind Ltd. 22 pp. [Link](#).
- Rehfisch, M., McGovern, S., Mackenzie, M., Scott-Hayward, L., and Goddard, B. 2016. Assessment of Displacement Impacts of Offshore Windfarms and Other Human Activities on Red-throated Divers and Alcids. APEM report 512921. Natural England Commissioned Report NECR227. [Link](#).
- Rexstad, E., and Buckland, S. 2012. Displacement Analysis Boat Surveys Kentish Flats. CREEM, St. Andrews. 21 pp. [Link](#).

- Robinson Willmott, J.R., Forcey, G., and Kent, A. 2013. The Relative Vulnerability of Migratory Bird Species to Offshore Wind Energy Projects on the Atlantic Outer Continental Shelf: An Assessment Method and Database. OCS Study BOEM 2013-207. Final Report to the U.S. Department of the Interior, Bureau of Ocean Energy Management, Herndon, VA. 275 pp. [Link](#).
- Rothery, P., Newton, I., and Little, B. 2009. Observations of seabirds at offshore wind turbines near Blyth in northeast England. *Bird Study* 51(1): 1–14.
- Schaub, T., Millon, A., De Zutter, C., Buji, R. Chadoeuf, J., Lee, S., Mionnet, A., and Klaassen R.H.G. 2023. How to improve the accuracy of height data from bird tracking devices? An assessment of high-frequency GPS tracking and barometric altimetry in field conditions. *Animal Biotelemetry* 11:31.
- Schwemmer, P., Mendel, B., Sonntag, N., Dierschke, V., and Garthe, S. 2011. Effects of ship traffic on seabirds in offshore waters: Implications for marine conservation and spatial planning. *Ecological Applications* 21: 1851–1860.
- Skov, H., Leonhard, S.B., Heinänen, S., Zydelis, R., Jensen, N.E., Durinck, J., Johansen, T.W., Jensen, B.P., Hansen, B.L., Piper, W., and Grøn, P.N. 2012. Horns Rev 2 Monitoring 2010–2012. Migrating Birds. Orbicon, DHI, Marine Observers und Biola, Report commissioned by DONG Energy. 134 pp. [Link](#).
- Skov, H., Heinanen, S., Norman, T., Ward, R.M., Mendex-Roldan, S., and Ellis, I. 2018. ORJIP bird collision and avoidance study final report-April 2018. The Carbon Trust, UK. 247 pp. [Link](#).
- Soanes, L.M., Arnould, J.P.Y., Dodd, S.G., Sumner, M.D., and Green, J.A. 2013. How many seabirds do we need to track to define home-range area? *Journal of Applied Ecology* 50: 671–679.
- Swingley, C.S., Drew, G.S., Coletti, H.A., and Schoen, S.K. 2023. SeaLog: U.S. Geological Survey software release, <https://doi.org/10.5066/P9WX181H>.
- Thaxter, C.B., Ross-Smith, V.H., Bouteren, W., Clark, N.A., Conway, G.J., Rehfisch, M.M, and Burton, N.H.K. 2015. Seabird-wind farm interactions during the breeding season vary within and between years: A case study of Lesser Black-backed Gull (*Larus fuscus*) in the UK. *Biological Conservation* 186: 347–358.
- Thaxter, C.B., Ross-Smith, V.H., Bouteren, W., Masden, E.A., Clark, N.A., Conway, G.J., Barber, L., Clewley, G.D., and Burton, N.H.K. 2018. Dodging the blades: new insights into three-dimensional space use of offshore wind farms by Lesser Black-backed Gulls (*Larus fuscus*). *Marine Ecology Progress Series* 587: 247–253.
- Trinder, M. 2019. Beatrice Offshore Wind Farm: Year 1 Post-construction Ornithology Monitoring 2019. McArthur Green, Glasgow. 116 pp. [Link](#).
- Tulp, I., Schekkerman, H., Larsen, J.K., van der Winden, J., van de Haterd, R.J.W., van Horssen, P., Dirksen, S., and Spaans, A.L. 1999. Nocturnal flight activity of sea ducks near the windfarm Tunø Knob in the Kattegat. Bureau Waardenburg report nr. 99.64. 66 pp. [Link](#).
- Vallejo, G.C., Grellier, K., Nelson, E.J., McGregor, R.M., Canning, S.J., Caryl, F.M., and McLean, N. 2017. Responses of two marine top predators to an offshore wind farm. *Ecology and Evolution* 7: 8698–8708.
- Van Parijs, S.M., Baker, K., Carduner, J., Daly, J., Davis, G.E., Esch, C., Guan, S., Scholik-Schlomer, A., Sisson, N.B., and Staaterman, E. 2021. NOAA and BOEM minimum recommendations for use of passive acoustic listening systems in offshore wind energy development monitoring and mitigation programs. *Frontiers in Marine Science* 8:760840. doi: 10.3389/fmars.2021.760840
- Vanermen, N., Onkelinx, T., Courtens, W., Van de walle, M., Verstraete, H., and Stienen, E.W.M. 2015a. Seabird avoidance and attraction at an offshore wind farm in the Belgian part of the North Sea. *Hydrobiologia* 756:51–61.
- Vanermen, N., Onkelinx, T., Verscheld, P., Courtens, W., Van de walle, M., Verstraete, H., Stienen, E.W.M. 2015b. Assessing seabird displacement at offshore wind farms: power ranges of a monitoring and data handling protocol. *Hydrobiologia* 756: 155–16.

- Vanermen, N., Courtens, W., Van de walle, M., Verstraete, H., and Stienen, E.W.M., 2016. Seabird Monitoring at offshore Wind Farms in the Belgian Part of the North Sea: Updated Results for the Bligh Bank & First Results for the Thornton Bank. Instituut voor Natuuren Bosonderzoek, Brussel. [Link](#).
- Vanermen, N., Courtens, W., Daelemans, R., Lens, L., Muller, W., Van de walle. M., Verstraete, H., and Stienen, E.W.M. 2020. Attracted to the outside: a meso-scale response pattern of Lesser Black-backed Gulls at an offshore wind farm revealed by GPS telemetry. ICES Journal of Marine Science 77(2): 701–710.
- Vilela, R., Burger, C., Dierderichs, A., Bachl, F.E., Szotek, L., Freund, A., Braasch, A., Bellebaum, J., Beckers, B., Piper, W., and Nehls, G. 2021. Use of an INLA latent gaussian modeling approach to assess bird population changes due to the development of offshore wind farms. Frontiers in Marine Science 8: 701332.
- Votier, S.C., Bearhop, S., Witt, M.J., Inger, R., Thompson, D. and Newton, J. 2010. Individual responses of seabirds to commercial fisheries revealed using GPS tracking, stable isotopes and vessel monitoring systems. Journal of Applied Ecology, 47: 487–497.
- Welcker, J. and Nehls, G. 2016. Displacement of seabirds by an offshore wind farm in the North Sea. Marine Ecology Progress Series 554: 173–182.
- Williams, K.A., Gulka, J., Cook, A.S.C.P., Diehl, R.H., Farnsworth, A., Goyert, H., Hein, C., Loring, P., Mizrahi, D., Petersen, I.K., Peterson, T., Press, K.M., and Stenhouse, I.J. 2024. A Framework for Studying the Effects of Offshore Wind Development on Birds and Bats in the Eastern United States. Frontiers in Marine Science 11:2024.
- Winiarski, K.J., Burt, M.L., Rexstad, E., Miller, D.L., Trocki, C.L., Paton, P.W.C., and McWilliams, S.R. 2014. Integrating aerial and ship surveys of marine birds into a combined density surface model: A case study of wintering Common Loons. Ornithological Applications 116: 149-161.
- Winship, A., Kinlan, B., White, T., Leirness, J., and Christensen, J. 2018. Modeling At-Sea Density of Marine Birds to Support Atlantic Marine Renewable Energy Planning. OCS Study BOEM 2018-010. U.S. Department of the Interior, Bureau of Ocean Energy Management, Stirling, VA. 67 pp. [Link](#).
- Wong, S.N.P., Gjerdrum, C., Gilchrist, H.G., and Mallory, M.L. 2018. Seasonal vessel activity risk to seabirds in waters off Baffin Island, Canada. Ocean and Coastal Management 163: 339–351.